

CETRO® Cordring 2.0

9607S - 9607



Why use the CETRO® Cordring?

After delivery, the umbilical cord is cut and clamped in every newborn. An umbilical clamp is standardly used to clamp the umbilical cord. A belly button clamp is a large, more than 5.5 cm wide, hard plastic that stays in place for several days. The clamp is often pressed against your baby's skin by the diaper. Not only is this uncomfortable for your baby, but changing the diaper and taking care of the umbilical stump is also more difficult.

Because you only want the best for your baby, the use of a Cord Ring is therefore highly recommended by midwives.

Traditional cord clamp



- Easy to use
 - Non flexible
 - Bulky
- Material: Plastic







Cetro Cord ring



- Easy to use
 - Flexible
 - Weightless
- Material: Synthetic rubber

USP

- Does not irritate the newborns navel cord or area around it.
- Very strong elastic
- Patient friendly
- Flexible and unobtrusive unlike the traditional cord clamp
- Does not get caught in the newborn's nappy/clothes.
- Does not interrupt the “golden Hour” skin to skin contact after birth.
- Light weight
- One size fits all

 <p>1. Slip the cordring over the forceps. ! <u>Do not stretch the cordring more than necessary. This may cause the cordring to break.</u></p>	 <p>2. Use the cordring forceps to clamp the umbilical cord close to the baby. Ensure that the end tips of the forceps do not project past the diameter of the umbilical cord.</p>	 <p>3. Place the cordring forceps next to the other towards the mother. Cut off the umbilical cord between the forceps with a scissor.</p>
 <p>4. Securely grasp the handle of the cordring and pull the cordring from the forceps and over the umbilical cord.</p>	 <p>!</p> <p>5. Do not twist the cordring as shown here. This may cause the cord ring to break.</p>	 <p>6. Cut off the handle of the cordring minimum 1 mm from the ring of the cordring which now is sitting around the umbilical cord. Loosen the forceps.</p>